


Corvus 3r


User manual



Mounting and installation of the following products.:


Item no.: +1152 xxxx

1. Drill






2. Install

I



II




NB! To ensure smooth adjustment be careful and don't tighten the supply wire. Be sure that there is min. 25 mm excess supply wire and keep the twist on the wire.

3a. Connect driver with fixed wires.


Driver connection is indicative.
Please follow national rules
for connecting Class II Luminaire.

Attention!
Always disconnect the driver
from main power before connecting
or disconnecting of any fixture.




3b. Connect driver with screw terminal.

Driver connection is indicative.
Please follow national rules
for connecting Class II Luminaire.




4. Change reflector or PCB
Remove reflector.


I





II




III






IV



V






VI




5. Remove reflector fixture.

I Turn off main power.


II




III




IV



V




VI




6. Remove PCB


I




II



III






IV





7. Replace PCB


I




II



III




IV





8. Place reflector fixture




I




II






III



IV



9. Insert reflector



Roblon accepts no responsibility for possible errors in printed and electronic material. Roblon reserves the right to alter or discontinue products without notice. © 2012, Roblon A/S.

Roblon

Roblon Lighting
Nordhavnsvej 1
9900 Frederikshavn
Denmark

Tel: +45 9620 3366
Fax: +45 9620 3396
info@roblon.com
www.roblon.com